

APPENDIX D: COPY OF WATER USE LICENCE AMENDMENT APPLICATION & CURRENT WUL

WUL AMENDMENT – PRE-APPLICATION WATER USE ENQUIRY

Dear Dr Brian Colloty (Member Director),

A request for consultation for the following Pre-Application Water Use Enquiry has been submitted to the department :

Transnet Manganese Export Facility Licence Amendment (WU29784)

Your request for consultation was submitted to :

Name : Mrs L. Fourie (WULA Manager)
e-Mail : Fouriel4@dws.gov.za
Tel : 0437010248

[Click Here to access the Application](#)

Kind Regards,

e-WULAAS on Behalf of **Department of Water and Sanitation**

Private Bag X313, Pretoria, 0001
Sedibeng Building, 185 Francis Baard Street, Pretoria, 0001
Tel: (012) 336 7500
Fax: (012) 323-4472
Website: www.dws.gov.za
Email: E-WULAASCalls@dws.gov.za

In e-WULAAS Notifications

DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.